What is claimed is:

SULDI

A radiation source comprising:

a base;

a curved reflector extending along an axis and attached to the base;

at least two pins passing through the base, within the reflector, and along the axis of the reflector; and

a filament helically wound about the pins and having a high emissivity outwardly facing surface and opposing ends electrically connected to a respective one of the pins so that upon passage of electrical energy through the filament, the filament becomes electrically heated and emits infrared radiation.

- 2. The radiation source of claim 1 wherein the reflector is parabolic.
- 3. The radiation source of claim 1 wherein the reflector is elliptical.
- 4. The radiation source of claim 1 wherein the reflector is covered with a window.
- 5. The radiation source of claim 4 wherein the window includes at least one of sapphire, calcium fluoride, zinc selenide, silicon or germanium.
- 6. The radiation source of claim 4 wherein the base, the reflector and the window form an enclosure for the helical filament which is hermetically sealed.
- 7. The radiation source of claim 6 wherein an inert gas is contained within the enclosure.

- 8. The radiation source of claim 1 wherein at least one of the ends of the helical filament is wrapped around one of the pins to provide a mechanism for strain relief.
- 9. The radiation source of claim 1 wherein the filament has a low emissivity inwardly facing surface.
- 10. The radiation source of claim 1 wherein the helically wound filament has a diameter that varies along the axis.
- 11. The radiation source of claim 1 wherein the helically wound filament has a diameter that monotonically decreases along the axis.
- 12. The radiation source of claim 1 wherein the reflector comprises a non ferrous metal.
- 13. The radiation source of claim 1 wherein the reflector is coated or plated with at least one of aluminum, gold and silver.
- 14. The radiation source of claim 1 wherein the outwardly facing surface of the filament is textured with features that are appoximately sized to a selected infrared wavelength spectrum.
- 15. The radiation source of claim 14 wherein the features are regularly distributed about the textured surface and extend outwardly from the surface.
- 16. The radiation source of claim 14, wherein the features are sized to between about two and ten microns.
- 17. The radiation source of claim 14, wherein the features are substantially uniform in size such that the emissions have a cut-off wavelength greater than the size of the features.

- The radiation source of claim 17, wherein the cut-off wavelength is approximately 2π times the size of the features.
- 19. \The radiation source of claim 14, wherein the features comprise peaks and valleys.
- 20. The radiation source of claim 14 wherein the features are randomly distributed about the textured surface and extend outwardly from the surface.
- 21. The radiation source of claim 14, wherein the features are formed by ion beam bombardment.
- 22. The radiation source according to claim 1, wherein the filament has a thickness of approximately five microns.
- 23. The radiation source of claim 1 wherein the wavelength spectrum of the filament is tuned to an infared radiation range.
- 24. The radiation source of claim 1 wherein the filament comprises nickel-chromium foil.
- 25. The radiation source of claim 1 wherein a width of the filament is greater than a space between adjacent coils of the helically wound filament.
- 26. The radiation source of claim 1 wherein the helically wound filament extends through an inlet of the curved reflector.
- 27. The radiation source of claim wherein the pins include a first pin and a second pin, and the pins each include a portion extending at an angle with respect to the axis of the reflector.

i N

 28. The radiation source of claim 27 wherein:

the first pin includes a first portion extending at an angle with respect to the axis towards the second pin and a second portion extending from the first portion parallel with the axis; and

the second pin includes a first portion extending at an angle with respect to the axis towards the first pin and a second portion extending from the first portion of the second pin parallel with the axis.

- 29. The radiation source of claim 28 wherein the second pin further includes a third portion extending from the second portion of the second pin at an angle with respect to the axis and away from the first pin, and a fourth portion extending from the third portion of the second pin parallel with the axis, and wherein the a first end of the helically wound filament is attached to the second portion of the first pin and a second end of the helically wound filament is attached to the fourth portion of the second pin.
 - 30. The radiation source of claim 1 wherein the pins are made of nickel-plated kovar.